Choose your oak.

Five finished colours. Two engineered formats. Four raw solid oak sizes.

ENGINEERED EUROPEAN OAK / FIVE COLOURS



Burnished Java

BJ190



Latte Tan

LT190



Natural Oak

NO190



Satin Greige

SG190



Washed Sand

WS190

ENGINEERED / BOARD & CARTON

FORMAT	L × W × TOTAL / TOP, mm	BOARDS / BOX	m² / BOX
Straight plank	1900 × 190 × 15/4	6 (25% nested)	2.166
Herringbone	900 × 150 × 15/4	14	1.89

Both formats: 4 mm European oak surface, Premium AB Grade, eucalyptus hardwood plywood core, matte UV lacquer and Tongue & Groove. Herringbone codes add -BL.

RAW / UNSTAINED SOLID OAK

FORMAT	L × W × T, mm	PROFILE	PCS / m² PER BOX
Herringbone 610	610 × 125 × 18	Tongue & Groove	20 / 1.525
Herringbone 450	450 × 90 × 18	Tongue & Groove	28 / 1.134
Chevron 590	590 × 125 × 18	No Tongue & Groove	20 / 1.475
Chevron 850	850 × 95 × 18	No Tongue & Groove	18 / 1.37

Solid oak: Selected AB Grade, moisture 9-12%. Choose your final colour and finish. The 450 mm board also supports double herringbone and basket weave.

Burnished Java

Engineered European Oak / Straight Plank

BJ190



Physical display sample - retouched photograph

MATERIAL & FINISH

Wear layer	4 mm European Oak
Grade	Premium AB Grade
Core	Premium Multi-Layer Eucalyptus Hardwood Plywood Core
Surface coating	UV Lacquer (10-12 Coats)
Texture	10-15% Wire Brushed
Sheen	Matte Finish
Profile	Tongue & Groove
Moisture content	8-10%
Suitable for	Residential & Commercial

LENGTH	WIDTH	TOTAL THICKNESS	OAK WEAR LAYER
1900 mm	190 mm	15 mm	4 mm

PACKING & COVERAGE

6 Boards (25% Nested)
Boards per carton

2.166 m²
Coverage per carton

Natural timber varies in colour and grain. Images are indicative; confirm your selection with a physical sample. Carton coverage excludes cutting and laying allowance.

VIEW PRODUCT & PHOTOGRAPHS

/products/umber/

Latte Tan

Engineered European Oak / Straight Plank

LT190



Physical display sample - retouched photograph

MATERIAL & FINISH

Wear layer	4 mm European Oak
Grade	Premium AB Grade
Core	Premium Multi-Layer Eucalyptus Hardwood Plywood Core
Surface coating	UV Lacquer (10-12 Coats)
Texture	10-15% Wire Brushed
Sheen	Matte Finish
Profile	Tongue & Groove
Moisture content	8-10%
Suitable for	Residential & Commercial

LENGTH	WIDTH	TOTAL THICKNESS	OAK WEAR LAYER
1900 mm	190 mm	15 mm	4 mm

PACKING & COVERAGE

6 Boards (25% Nested)
Boards per carton

2.166 m²
Coverage per carton

Natural timber varies in colour and grain. Images are indicative; confirm your selection with a physical sample. Carton coverage excludes cutting and laying allowance.

VIEW PRODUCT & PHOTOGRAPHS

/products/honey/

Natural Oak

Engineered European Oak / Straight Plank

NO190



Physical display sample - retouched photograph

MATERIAL & FINISH

Wear layer	4 mm European Oak
Grade	Premium AB Grade
Core	Premium Multi-Layer Eucalyptus Hardwood Plywood Core
Surface coating	UV Lacquer (10-12 Coats)
Texture	10-15% Wire Brushed
Sheen	Matte Finish
Profile	Tongue & Groove
Moisture content	8-10%
Suitable for	Residential & Commercial

LENGTH	WIDTH	TOTAL THICKNESS	OAK WEAR LAYER
1900 mm	190 mm	15 mm	4 mm

PACKING & COVERAGE

6 Boards (25% Nested)
Boards per carton

2.166 m²
Coverage per carton

Natural timber varies in colour and grain. Images are indicative; confirm your selection with a physical sample. Carton coverage excludes cutting and laying allowance.

VIEW PRODUCT & PHOTOGRAPHS

/products/natural/

Satin Greige

Engineered European Oak / Straight Plank

SG190



Physical display sample - retouched photograph

MATERIAL & FINISH

Wear layer	4 mm European Oak
Grade	Premium AB Grade
Core	Premium Multi-Layer Eucalyptus Hardwood Plywood Core
Surface coating	UV Lacquer (10-12 Coats)
Texture	10-15% Wire Brushed
Sheen	Matte Finish
Profile	Tongue & Groove
Moisture content	8-10%
Suitable for	Residential & Commercial

LENGTH	WIDTH	TOTAL THICKNESS	OAK WEAR LAYER
1900 mm	190 mm	15 mm	4 mm

PACKING & COVERAGE

6 Boards (25% Nested)
Boards per carton

2.166 m²
Coverage per carton

Natural timber varies in colour and grain. Images are indicative; confirm your selection with a physical sample. Carton coverage excludes cutting and laying allowance.

VIEW PRODUCT & PHOTOGRAPHS

/products/chalk/

Washed Sand

Engineered European Oak / Straight Plank

WS190



Physical display sample - retouched photograph

MATERIAL & FINISH

Wear layer	4 mm European Oak
Grade	Premium AB Grade
Core	Premium Multi-Layer Eucalyptus Hardwood Plywood Core
Surface coating	UV Lacquer (10-12 Coats)
Texture	10-15% Wire Brushed
Sheen	Matte Finish
Profile	Tongue & Groove
Moisture content	8-10%
Suitable for	Residential & Commercial

LENGTH	WIDTH	TOTAL THICKNESS	OAK WEAR LAYER
1900 mm	190 mm	15 mm	4 mm

PACKING & COVERAGE

6 Boards (25% Nested)
Boards per carton

2.166 m²
Coverage per carton

Natural timber varies in colour and grain. Images are indicative; confirm your selection with a physical sample. Carton coverage excludes cutting and laying allowance.

VIEW PRODUCT & PHOTOGRAPHS

/products/mist/

Burnished Java

Engineered European Oak / Herringbone

BJ190-BL



Flooring reference image - indicative appearance

MATERIAL & FINISH

Wear layer	4 mm European Oak
Grade	Premium AB Grade
Core	Premium Multi-Layer Eucalyptus Hardwood Plywood Core
Surface coating	UV Lacquer (10-12 Coats)
Texture	10-15% Wire Brushed
Sheen	Matte Finish
Profile	Tongue & Groove
Moisture content	8-10%
Suitable for	Residential & Commercial

LENGTH	WIDTH	TOTAL THICKNESS	OAK WEAR LAYER
900 mm	150 mm	15 mm	4 mm

PACKING & COVERAGE

14 pcs
Boards per carton

1.89 m²
Coverage per carton

Natural timber varies in colour and grain. Images are indicative; confirm your selection with a physical sample. Carton coverage excludes cutting and laying allowance.

VIEW PRODUCT & PHOTOGRAPHS

/products/umber-herringbone/

Latte Tan

Engineered European Oak / Herringbone

LT190-BL



Flooring reference image - indicative appearance

MATERIAL & FINISH

Wear layer	4 mm European Oak
Grade	Premium AB Grade
Core	Premium Multi-Layer Eucalyptus Hardwood Plywood Core
Surface coating	UV Lacquer (10-12 Coats)
Texture	10-15% Wire Brushed
Sheen	Matte Finish
Profile	Tongue & Groove
Moisture content	8-10%
Suitable for	Residential & Commercial

LENGTH	WIDTH	TOTAL THICKNESS	OAK WEAR LAYER
900 mm	150 mm	15 mm	4 mm

PACKING & COVERAGE

14 pcs
Boards per carton

1.89 m²
Coverage per carton

Natural timber varies in colour and grain. Images are indicative; confirm your selection with a physical sample. Carton coverage excludes cutting and laying allowance.

VIEW PRODUCT & PHOTOGRAPHS

/products/honey-herringbone/

Natural Oak

Engineered European Oak / Herringbone

NO190-BL



Flooring reference image - indicative appearance

MATERIAL & FINISH

Wear layer	4 mm European Oak
Grade	Premium AB Grade
Core	Premium Multi-Layer Eucalyptus Hardwood Plywood Core
Surface coating	UV Lacquer (10-12 Coats)
Texture	10-15% Wire Brushed
Sheen	Matte Finish
Profile	Tongue & Groove
Moisture content	8-10%
Suitable for	Residential & Commercial

LENGTH	WIDTH	TOTAL THICKNESS	OAK WEAR LAYER
900 mm	150 mm	15 mm	4 mm

PACKING & COVERAGE

14 pcs
Boards per carton

1.89 m²
Coverage per carton

Natural timber varies in colour and grain. Images are indicative; confirm your selection with a physical sample. Carton coverage excludes cutting and laying allowance.

VIEW PRODUCT & PHOTOGRAPHS

/products/natural-herringbone/

Satin Greige

Engineered European Oak / Herringbone

SG190-BL



Flooring reference image - indicative appearance

MATERIAL & FINISH

Wear layer	4 mm European Oak
Grade	Premium AB Grade
Core	Premium Multi-Layer Eucalyptus Hardwood Plywood Core
Surface coating	UV Lacquer (10-12 Coats)
Texture	10-15% Wire Brushed
Sheen	Matte Finish
Profile	Tongue & Groove
Moisture content	8-10%
Suitable for	Residential & Commercial

LENGTH	WIDTH	TOTAL THICKNESS	OAK WEAR LAYER
900 mm	150 mm	15 mm	4 mm

PACKING & COVERAGE

14 pcs
Boards per carton

1.89 m²
Coverage per carton

Natural timber varies in colour and grain. Images are indicative; confirm your selection with a physical sample. Carton coverage excludes cutting and laying allowance.

VIEW PRODUCT & PHOTOGRAPHS

/products/chalk-herringbone/

Washed Sand

Engineered European Oak / Herringbone

WS190-BL



Flooring reference image - indicative appearance

MATERIAL & FINISH

Wear layer	4 mm European Oak
Grade	Premium AB Grade
Core	Premium Multi-Layer Eucalyptus Hardwood Plywood Core
Surface coating	UV Lacquer (10-12 Coats)
Texture	10-15% Wire Brushed
Sheen	Matte Finish
Profile	Tongue & Groove
Moisture content	8-10%
Suitable for	Residential & Commercial

LENGTH	WIDTH	TOTAL THICKNESS	OAK WEAR LAYER
900 mm	150 mm	15 mm	4 mm

PACKING & COVERAGE

14 pcs
Boards per carton

1.89 m²
Coverage per carton

Natural timber varies in colour and grain. Images are indicative; confirm your selection with a physical sample. Carton coverage excludes cutting and laying allowance.

VIEW PRODUCT & PHOTOGRAPHS

/products/mist-herringbone/

Herringbone 610

Solid Oak / Herringbone

HERRINGBONE-610



Solid oak layout - retouched photograph

MATERIAL & FINISH

Material	Solid oak throughout
Grade	Selected AB Grade
Surface	Raw / Unstained
Profile	Tongue & Groove
Moisture content	9-12%
Laying pattern	Herringbone

YOUR CHOICE OF FINISH.

Supplied raw and unstained. Choose the final colour and surface finish to suit your space.

LENGTH	WIDTH	TOTAL THICKNESS	CONSTRUCTION
610 mm	125 mm	18 mm	Solid oak

PACKING & COVERAGE

20 pcs
Boards per carton

1.525 m²
Coverage per carton

Natural timber varies in colour and grain. Images are indicative; confirm your selection with a physical sample. Carton coverage excludes cutting and laying allowance.

VIEW PRODUCT & PHOTOGRAPHS

/solid/herringbone/610/

Herringbone 450

Solid Oak / Herringbone

HERRINGBONE-450



Solid oak layout - retouched photograph

MATERIAL & FINISH

Material	Solid oak throughout
Grade	Selected AB Grade
Surface	Raw / Unstained
Profile	Tongue & Groove
Moisture content	9-12%
Laying pattern	Herringbone

ONE BOARD. THREE LAYOUTS.

Single herringbone, double herringbone or basket weave. The board specification and carton coverage are the same.

LENGTH	WIDTH	TOTAL THICKNESS	CONSTRUCTION
450 mm	90 mm	18 mm	Solid oak

PACKING & COVERAGE

28 pcs
Boards per carton

1.134 m²
Coverage per carton

Natural timber varies in colour and grain. Images are indicative; confirm your selection with a physical sample. Carton coverage excludes cutting and laying allowance.


VIEW PRODUCT & PHOTOGRAPHS

/solid/herringbone/450/

Chevron 590

Solid Oak / Chevron

CHEVRON-590



Solid oak layout - retouched photograph

MATERIAL & FINISH

Material	Solid oak throughout
Grade	Selected AB Grade
Surface	Raw / Unstained
Profile	No Tongue & Groove
Moisture content	9-12%
Laying pattern	Chevron

YOUR CHOICE OF FINISH.

Supplied raw and unstained. Choose the final colour and surface finish. Confirm the chevron angle with your sample.

LENGTH	WIDTH	TOTAL THICKNESS	CONSTRUCTION
590 mm	125 mm	18 mm	Solid oak

PACKING & COVERAGE

20 pcs
Boards per carton

1.475 m²
Coverage per carton

Natural timber varies in colour and grain. Images are indicative; confirm your selection with a physical sample. Carton coverage excludes cutting and laying allowance.

VIEW PRODUCT & PHOTOGRAPHS

/solid/chevron/590/

Chevron 850

Solid Oak / Chevron

CHEVRON-850



Room inspiration - indicative appearance

MATERIAL & FINISH

Material	Solid oak throughout
Grade	Selected AB Grade
Surface	Raw / Unstained
Profile	No Tongue & Groove
Moisture content	9 - 12%
Laying pattern	Chevron

YOUR CHOICE OF FINISH.

Supplied raw and unstained. Choose the final colour and surface finish. Confirm the chevron angle with your sample.

LENGTH	WIDTH	TOTAL THICKNESS	CONSTRUCTION
850 mm	95 mm	18 mm	Solid oak

PACKING & COVERAGE

18 pcs
Boards per carton

1.37 m²
Coverage per carton

Natural timber varies in colour and grain. Images are indicative; confirm your selection with a physical sample. Carton coverage excludes cutting and laying allowance.

VIEW PRODUCT & PHOTOGRAPHS

/solid/chevron/850/